

Contacts

For a complete list of contact handle prefixes used across all TLDs, please refer to the [Contact Prefix Reference Table](#)

query-contact-list

Accepts:

<i>pattern</i>	pattern to match (against handle)
<i>from</i>	start from this item in list
<i>to</i>	end by this item in list
<i>tld</i>	limits output to contact handles which may be used with specified toplevel domain (tld), like "com".
<i>extended-format</i>	provides additional information for every contact listed: name & organization. May be "1" or "0", defaults to "0"

Returns:

List of registered contacts (handles), one per line.

When "extended-format" is requested, output columns are separated by tabs ("\t"), and "Columns" header provides column names.

Example:

```
https://dmapi.joker.com/request/query-contact-list?pattern=coco-47*&tld=com&auth-sid=<your-current-session-id>
```

contact-create

Requires:

<i>tld</i>	target TLD where this contact is intended to be used.
<i>name</i>	full name (if empty, fname + lname will be used)
<i>fname</i>	first name (required for .FI contacts)

<i>lname</i>	last name (required for .FI contacts)
<i>title</i>	(optional)
<i>individual</i>	(optional) Y, Yes, N, No
<i>organization</i>	(optional if individual)
<i>email</i>	email address of the contact
<i>address-1</i>	street address
<i>address-2</i>	(optional)
<i>city</i>	
<i>state</i>	(optional)
<i>postal-code</i>	
<i>country</i>	ISO country code (2 letters)
<i>phone</i>	
<i>fax</i>	(optional)
<i>lang</i>	language to use for .EU contacts
<i>app-purpose</i>	required for .US contacts
<i>nexus-category</i>	required for .US contacts
<i>nexus-category-country</i>	required for .US contacts
<i>account-type</i>	required for .UK contacts, if used as owner contact
<i>company-number</i>	required for .UK contacts with specific account types
<i>orgid</i>	required for .SE/.NU contacts
<i>vatid</i>	(optional) for .SE/.NU contacts
<i>x-ficora-type</i>	required for .FI contacts
<i>x-ficora-is-finnish</i>	(yes/no) required for .FI contacts
<i>x-ficora-registernumber</i>	required for .FI contacts, if ficora-type is company
<i>x-ficora-identity</i>	required for .FI contacts, if type is person and finnish
<i>x-ficora-birthdate</i>	required for .FI contacts, if type is persion and not finnish
<i>x-ficora-legalemail</i>	(optional) for .FI contacts

Either "name" or "lname" and "fname" must be provided.

Fields **not** marked '(optional)' are mandatory (and must not be empty).

Parameters "lname" and "fname", if provided, will be converted to "name" (simple concatenation of "fname" and "lname"), because registries support only "name" format. In general, use of "fname" and "lname" is deprecated, and support for these fields will be removed in version 1.2.

"orgid" represents Swedish personal or organisational number and is required for .SE/.NU contacts.

It starts with ISO 3166 Alpha-2 country code in square brackets. If the country code for Sweden is given [SE] a valid Swedish personal or organisational number must be given (6 digits, dash, 4 digits), otherwise 1 to 123 characters can follow.

If organization is empty and the country code for Sweden [SE] is given, orgid must be a personal number, not an organisational number.

"vaid" is optional for .SE/.NU contacts. It starts with a two letter country code (uppercase), followed by an optional space, followed by a country specific string containing digits 0-9, and letters a-z and A-Z, maximum 64 Chars.

For .fi contacts:

"x-ficora-type" is required for .fi contacts. The following values are accepted: privateperson, company, corporation, institution, politicalparty, township, government, publiccommunity

"x-ficora-registernumber" is required if x-ficora-type is set to "company".

"x-ficora-is-finnish" is always required for .fi contacts: yes = finnish company or person, no = not a finnish person or company

"x-ficora-identity" is required for .fi contacts, if x-ficora-type is set to 'privateperson' and x-ficora-is-finnish is set to 'yes'

"x-ficora-birthdate" is required for .fi contacts, if x-ficora-type is set to 'privateperson' and x-ficora-is-finnish is set to 'no' in the following date format "YYYY-MM-DD".

For .uk contacts:

"account-type" is a required for all .UK contacts which will be used as domain owner contacts. Possible values are:

Value	Meaning
LTD	UK Limited Company
PLC	UK Public Limited Company
PTNR	UK Partnership
STRA	UK Sole Trader
LLP	UK Limited Liability Partnership

Value	Meaning
IP	UK Industrial/Provident Registered Company
IND	UK Individual (representing self)
SCH	UK School
RCHAR	UK Registered Charity
GOV	UK Government Body
CRC	UK Corporation by Royal Charter
STAT	UK Statutory Body
OTHER	UK Entity that does not fit into any of the above (e.g. clubs, associations, many universities)
FIND	Non-UK Individual (representing self)
FCORP	Non-UK Corporation
FOTHER	Non-UK Entity

By default, if "**account-type**" is not provided, value "**FIND**" or "**IND**" will be used (dependent "**country**" value - for GB and UK it will be "**IND**", for everything else "**FIND**").

"**company-number**" is required when "account-type" is one of: SCH, RCHAR, LTD, PLC, LLP, IP

Known extensions, grouped by TLD

.be

Extension	Value	Meaning
x-be-lang	(en fr nl)	Language for emails from the registry to contact.
x-be-type	(owner admin tech licensee onsite)	type for the contact
x-be-vatid		Vatid of the company

.ca

Extension	Value
x-ca-legal-type	(ABO ASS CCO CCT EDU GOV HOP INB LAM LGR MAJ OMK PLT PRT RES TDM TRD TRS)

.cn

Extension	Value	Meaning
x-cn-owner-id-number	[\x20-\xff]{1,30}	Passport ID or company ID from official docs
x-cn-owner-id-type	(SFZ HZ GAJMTX TWJMTX WJLSFZ GAJZZ TWJZZ JGZ QT ORG QT YYZZ TYDM BDDM JDDWFW SYDWFR WGCZJG SHTTFR ZJCS MBFQY JJHFR LSZY WGZHWH WLCZJG SFJD JWJG SHFWJG M BXXBX YLJGZY GZJGZY BJWSXX QTTYDM)	for I only (SFZ, HZ, GAJMTX, TWJMTX, WJLSFZ, GAJZZ, TWJZZ, JGZ, QT) allowed!
x-cn-owner-type	(E I)	E=Enterprise, I=Individual

at, co.at, or.at

Extension	Value	Meaning
x-atnic-type	(privateperson role organisation)	type for the contact

.uk, .co.uk, .me.uk, .net.uk, .plc.uk, .org.uk, .ltd.uk

Extension	Value	Meaning
x-nominet-trading-name	[\x20-\xff]{1,50}	The trading name of the organization
x-nominet-company-no	[\x20-\xff]{1,30}	The registered company number
x-nominet-type	(LTD PLC PTNR STRA LLP IP IND SCH RCHAR GOV CRC STAT OTHER FIND FCORP FOTHER)	account type

.de

Extension	Value	Meaning
x-de-type	(person role org)	type for the contact

.dk

Extension	Value	Meaning
x-dk-user-id-number	.*	user id for .dk domains
x-dk-user-type	(COMPANY PERSON PUBORG ASSOCIATION)	user type for .dk domains

.eu, .xn--e1a4c, .xn--qxa6a

Extension	Value	Meaning
x-eu-natural-person	(true false)	if set it is used
x-eu-country-of-citizenship	[A-Z]{2,2}	country code
x-eu-lang	(bg cs da de el en es et fi fr ga hr hu it lt lv mt nl pl pt ro sk sl sv)	Sets the domain owners language displayed in the EURid WHOIS.
x-eu-type	(owner admin onsite)	type for the contact

.fi

Extension	Value	Meaning
x-ficora-birthdate	\d{4}-\d{2}-\d{2}	birthdate for owner contact
x-ficora-identity	([\w-]{5,20})	identity number of private individuals
x-ficora-is-finnish	(yes no)	Is it a Finnish person or company?
x-ficora-legalemail	!@email	if type=company, it must be present
x-ficora-registernumber	.{3,30}	registration number for companies
x-ficora-role	(billing admin tech owner)	role of contact
x-ficora-type	(association privateperson company corporation institution politicalparty township government publiccommunity municipality)	type of contact

.fr

Extension	Value	Meaning
x-fr-announce	\d+	"The ""announce"" attribute shows the number of the announcement(e.g. 5). Only digits allowed"
x-fr-birthcity	[\x20-\xff]{1,30}	Only for natural persons born in France...
x-fr-birthdate	\d{4}-\d{2}-\d{2}	The registrant's birthdate
x-fr-birthpc	[\x20-\xff]{1,30}	postcode of the place of birth
x-fr-birthplace	[A-Z]{2}	birthplace country code
x-fr-date-association	\d{4}-\d{2}-\d{2}	date of association
x-fr-date-publication-jo	\d{4}-\d{2}-\d{2}	date of publication JO

Extension	Value	Meaning
x-fr-duns	[\x20-\xff]{1,30}	Company DUNS
x-fr-local	[\x20-\xff]{1,30}	Company Local
x-fr-numero-de-page- annonce-jo	\d+	page number of announcement
x-fr-restrict-pub	\d{1}	0=show, 1=do not show
x-fr-siren-or-siret	[\x20-\xff]{1,30}	SIREN/SIRET number
x-fr-trademark	[\x20-\xff]{1,30}	Trademark number
x-fr-vatid	[\x20-\xff]{1,30}	Company VAT ID
x-fr-waldec	\d+	Waldec ID

.ie

Extension	Value	Meaning
x-ie-applicant	.*	Name of applicant
x-ie-applicant- class	(Company Business Owner Club/Band/Local Group School/College State Agency Blogger/Other)	

.it

Extension	Value
x-it-consentforpublishing	[0 1]
x-it-entity-type	[1 2 3 4 5 6 7]
x-it-pin	(.*)
x-it-sect3-liability	[0 1]
x-it-sect5-personal-data-for-registration	[0 1]
x-it-sect6-personal-data-for-diffusion	[0 1]
x-it-sect7-explicit-acceptance	[0 1]

.nl

Extension	Value	Meaning
-----------	-------	---------

x-nl-legal-form	(ANDERS BGG BRO BV BVI/O COOP CV EENMA NSZAAK EESV KERK MAATSCHAP NV OWM PER SOON REDR STICHTING VERENIGING VOF)	legal form of the contact
x-nl-legal-form- registration-no	[\x20-\xff]{1,30}	registration number of the company.

.nu

Extension	Value	Meaning
x-iinu-orgid	[\x20-\xff]{1,30}	organisation id for the contact
x-iinu-vatid	[\x20-\xff]{1,30}	vatid for the contact

.se, .pp.se

Extension	Value	Meaning
x-iise-vatid	[\x20-\xff]{1,30}	vatid for the contact
x-iise-orgid	[\x20-\xff]{1,30}	organisation id for the contact

.sk

Extension	Value	Meaning
x-sk-contact-ident-number	.*	commercial registration number for companies; personal ID for natural persons
x-sk-contact-legal-form	(CORP PERS)	CORP=Company/org; PERS=natural person

.us

Extension	Value	Meaning
x-us-app-purpose	[Pp][12345]	.us purpose of contact
x-us-nexus-category	([Cc])(11 12 21 31 32)	.us nexus category
x-us-nexus-category-country	!@country	.us nexus category country

.xxx

Extension	Value	Meaning
x-xxx-membership-token	[\x20-\xff]{1,30}	Registrar tag for domains

Please note:

- Parameters listed here (except "tld") may be used (or are required) in other requests, this is indicated by referring to "Contact fields".
- "lang" must contain two-letter ISO country (language) code, and is only required when creating .EU contacts. The purpose is to specify language to be used in notifications emails, sent from EURid. Please note - this field cannot be modified later, and the default is 'EN' (English)!
- "app-purpose", "nexus-category" and "nexus-category-contry" are required only when creating .US contacts, and cannot be modified later.

Example:

```
https://dmapi.joker.com/request/contact-create?tld=com&name=JohnDoe&email=johnd@someisp.com&address-1=Smartroad 1&city=Smalltown&postal-code=40122&country=US&phone=+1.422.8001&auth-sid=<your-current-session-id>
```

contact-modify

Requires:

<i>handle</i>	contact handle to modify.
---------------	---------------------------

Accepts:

Field names exactly like in contact-create request, except that omitted fields won't be modified. That is, if you specify a field, it will be used as a new value, if you omit it, the old value will remain.

The field "tld" is not relevant for this request and will be ignored if present.

contact-delete

Requires:

<i>handle</i>	contact handle to delete
---------------	--------------------------

With this request you can delete previously registered contacts

Example:

```
https://dmapi.joker.com/request/contact-delete?handle=coco-4711&auth-sid=<your-current-session-id>
```

Revision #4

Created 2023-09-25 11:45:16 UTC by Admin

Updated 2023-10-05 09:00:31 UTC by Administrator