

# Other Requests

## query-object

### Accepts:

|                |                |                                                                                                |
|----------------|----------------|------------------------------------------------------------------------------------------------|
| <i>domain</i>  | Domain name    | Exactly one of those must be specified. Only objects registered with Joker.com may be queried. |
| <i>contact</i> | Contact handle |                                                                                                |
| <i>host</i>    | Nameserver     |                                                                                                |

### Returns:

Information about specified object (similar to whois), in format "key: value".

This request is **deprecated** - please use ' query-whois' instead.

## query-whois

### Accepts:

|                |                |                                                                                                |
|----------------|----------------|------------------------------------------------------------------------------------------------|
| <i>domain</i>  | Domain name    | Exactly one of those must be specified. Only objects registered with Joker.com may be queried. |
| <i>contact</i> | Contact handle |                                                                                                |
| <i>host</i>    | Nameserver     |                                                                                                |

### Returns:

Information about specified object (similar to whois), in the format "key: value".

The difference to the *query-object* request is, that this request reflects actual (live) data in Joker.com database, while *query-object* may show data which not yet up-to-date.

## wa-email-list

Lists all domains and owner emails **of domains from your portfolio** which are **pending whois (email) verification**.

For Whois validation, the email address of the owner contact of a newly created, transferred or modified gTLD has to be verified. This verification is done by sending an email to the owner contact, which contains a unique

key in a link. When this link is clicked, the related email address is set to "validated".

For full ICANN policy, please see [Whois-Validation](#).

**Requires:** Nothing

**Returns:**

```
email-address<TAB>domain-name<TAB>verification-expiration-date
```

```
email-address<TAB>domain-name<TAB>verification-expiration-date
```

**Where:**

email-address

email address of the domain owner which is pending verification

domain-name

domain name where email is the owner

verification-expiration-date

verification deadline, i.e. if by this date and time (specified in standard ISO format) email is not positively verified, the domain name listed may be deactivated

**Example:**

```
https://dmapi.joker.com/request/wa-email-list?auth-sid=<your-current-session-id>
```

## wa-email-details

Returns email **verification status** and the **associated domain** for provided verification key (whois verification, email validation). If there is more than one domain using the email address to be verified, output will have one line per domain.

For full ICANN policy, please see [Whois-Validation](#).

**Requires:**

```
key Verification key sent to owner by verification email
```

**Returns:**

```
status<TAB>email<TAB>domain
```

**Where:**

status

is 'verification', if 'key' is a valid verification key

email

email address 'key' has been sent to

domain

related domain

### Sample:

```
https://dmapi.joker.com/request/wa-email-details?key=<key-to-query>&auth-  
sid=<your-current-session-id>
```

## wa-email-validate

**Triggers a new email verification.** In case the original verification email got lost or did not succeed otherwise, this request will send a new email. The original key will be **automatically included**.

This request returns special response header "Result", which will contain "ACK" if the validation request has been sent successfully, or "NACK" otherwise, e.g. if the email address is not in "verification pending" status, or already verified (whois verification, email validation).

For full ICANN policy, please see [Whois-Validation](#).

### Requires:

email Email address to send validation request to. This must be domain owner's email address.

### Returns:

Result: ACK validation request has been sent  
Result: NACK no validation request has been sent for this email

### Sample:

```
https://dmapi.joker.com/request/wa-email-validate?email=<email-of-owner>&auth-  
sid=<your-current-session-id>
```

## wa-email-verify

**Set an email address to 'validated'** by using the correct key, and voting with 'yes'.

This request returns a special response header "Result", which will contain "ACK" if the verification has been accepted or "NACK" otherwise, e.g. in case the key is not correct (whois verification, email validation).

This is usefull e.g. in case you want to implement your own individual landing page for your customers. The URL for this landing page can be set in Joker.com's 'Reseller Settings'.

For full ICANN policy, please see [Whois-Validation](#).

### Requires:

|        |                                                      |
|--------|------------------------------------------------------|
| key    | Verification key sent to owner by verification email |
| answer | Answer to verification request - "yes" or "no"       |

If the answer is "yes", the verification status is set to "verified" and email is confirmed as valid, if the answer is "no", then verification status is set to "invalid". If there is no answer before verification deadline (normally 15 days), the status is also set to "invalid".

#### Returns:

|              |                                                |
|--------------|------------------------------------------------|
| Result: ACK  | validation request has been successful         |
| Result: NACK | validation request has been rejected or failed |

#### Sample:

```
https://dmapi.joker.com/request/wa-email-verify?key=<key-to-use>&answer=[yes|no]&auth-sid=<your-current-session-id>
```

## domain-privacy-order

This request adds a subscription to Whois Privacy Services to an existing domain name.

A summary of all privacy related DMAPI commands is also available at DMAPI Whois Privacy Services.

#### Requires (mandatory):

|                |                                          |
|----------------|------------------------------------------|
| <i>domain</i>  | domain name to order privacy service for |
| <i>privacy</i> | basic pro                                |

#### Accepts (optional):

|                |                                                 |
|----------------|-------------------------------------------------|
| <i>period</i>  | renewal period in <b>months</b> (not in years!) |
| <i>expyear</i> | the wanted expiration year (e.g. '2016')        |

"**expyear**" is a safety option which can be used **instead of "period"** to order privacy until the specified year (not longer).

If you use "period", and by mistake send the request more than once, the order would be executed again, while with "expyear", it will not be renewed if it's expiration year is greater or equals to the specified one.

**Only one of "period" or "expyear" may be used, but not both.**

**If neither period nor expyear is provided, then privacy is ordered for the remaining domain lifetime, whatever it is.**

**Important:** Please note that registration period is in **months, not years!** In most cases, this number is a **multiple of 12.**

### Example:

```
https://dmapi.joker.com/request/domain-privacy-order?domain=example.com&privacy=pro&auth-sid=<your-current-session-id>
```

This would order privacy service "pro" for the same period as the current term of the domain "example.com".

## cor-verify

**Authorizes a 'Change of Registrant' (COR)** according to the ICANN IRTP-C policy as of 2016-12-01.

Please find the full documentation of the process at Joker.com [here](#), the original ICANN policy is available [here](#).

This request can be used if you did not setup a verification 'push' URL with our provided module (see link above), or you want to use the standard email procedure.

This request returns special response header "Result", which will contain "ACK" if the authorization request has been sent successfully, or "NACK" otherwise, e.g. if the key sent does not match the transaction.

### Requires:

```
key      authorization key (provided in COR confirmation request)
answer   answer to confirm the COR - "yes" or "no"
```

If the answer is "yes", the change-of-registrant will be executed, if in case of "no", it will be rejected. Please also note the new flag 'lock-opt-out' in 'domain-owner-change' if you do **not** want to lock the domain after the COR for 60 days.

### Returns:

```
Result: ACK    authorization key has been accepted
Result: NACK   authorization key has not been accepted
```

### Sample:

```
https://dmapi.joker.com/request/cor-verify?key=<authorization key sent by Joker.com>&answer=yes&auth-sid=<your-current-session-id>
```

## query-price-list

### Returns

List of domain prices per action and year (separated by tab) in the currency of the reseller account. The prices already include the reseller discount and also vat if it applies.

### Example:

<https://dmapi.joker.com/request/query-price-list?auth-sid=<your-current-session-id>>

# query-promos-list

## Parameters:

| Name     |                                                                         | Default              |
|----------|-------------------------------------------------------------------------|----------------------|
| type     | One of <code>current</code> , <code>upcoming</code> or <code>all</code> | <code>current</code> |
| currency | Currency to list prices in (USD, EUR etc)                               | Account currency     |
| country  | Country id for VAT calculation (DE, US etc)                             | Account country      |

## Returns:

List of promos with prices, current (active), upcoming or both, example response:

```
Status-Code: 1000
Status-Text: OK
SvTrId: 01db520b6683da6ae6a40ad503527bd8
Tracking-Id: 01db520b6683da6ae6a40ad503527bd8
Separator: TAB
Columns:
type,operation,tld,currency,vat,price,standard_price,retail_price,min_period,max_period,period_type,valid_from,valid_to

domain create art EUR 0.19 1.9 20.01 33.35 1 1 flex 2024-12-01T00:00:00.000Z 2024-12-31T23:59:59.999Z
domain create blog EUR 0.19 3.72 19.66 32.77 1 1 flex 2024-12-01T00:00:00.000Z 2024-12-31T23:59:59.999Z
domain create com EUR 0.19 12.36 10.16 16.93 1 1 flex 2024-11-01T00:00:00.000Z 2024-12-31T23:59:59.999Z
domain create eu EUR 0.19 3.25 4.46 7.44 1 1 flex 2024-11-01T00:00:00.000Z 2024-12-31T23:59:59.999Z
...
domain create fun EUR 0.19 1.91 25.01 41.68 1 1 exact 2024-07-01T00:00:00.000Z 2024-12-31T23:59:59.999Z
domain create fun EUR 0.19 10.0 50.0 83.36 2 2 exact 2024-07-01T00:00:00.000Z 2024-12-31T23:59:59.999Z
domain create fun EUR 0.19 18.1 75.03 125.05 3 3 exact 2024-07-01T00:00:00.000Z 2024-12-31T23:59:59.999Z
...
```

Values are TAB-separated, columns are:

|      |                                                                                                  |
|------|--------------------------------------------------------------------------------------------------|
| type | Object type (currently <code>domain</code> but in the future it might be other kind of service). |
|------|--------------------------------------------------------------------------------------------------|

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| operation      | The kind of operation that the promo applies to ( <code>create</code> , <code>renew</code> , <code>transfer</code> ).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| tld            | The TLD that the promo price applies to.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| currency       | Price's currency (matches <code>currency</code> parameter).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| vat            | VAT rate (example: 0.19 means 19%); 0 if not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| price          | Netto price per year when promo is active.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| standard_price | Netto standard price per year, i.e. the regular price when promo is <i>not</i> active.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| retail_price   | Netto retail price per year, i.e. the price without reseller's discount when promo is <i>not</i> active.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| min_period     | Minimum number of years (create/renew/transfer) that the promo price could be applied to.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| max_period     | Maximum number of years (create/renew/transfer) that the promo price could be applied to.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| period_type    | <p>One of <code>exact</code> or <code>flex</code>.</p> <p><code>flex</code> means that the promo price is valid for <i>any</i> number of years between <code>min_period</code> and <code>max_period</code>. In this case the price is <i>per year</i>, i.e. will be applied for <i>every year</i> of registration.</p> <p><code>exact</code> means that promo price is valid <i>exactly</i> for the period specified by <code>min_period</code>, in such cases <code>max_period</code> will be equivalent to <code>min_period</code>, and the price is for the number of years specified in <code>min_period</code>.</p> |
| valid_from     | Promo start date & time (ISO format). Promo price is not valid before this date.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| valid_to       | Promo end date & time (ISO format) Promo price is not valid after this date.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

All prices are netto (without VAT).

When `period_type` is `flex`, the price is per year, i.e. when you create/renew/transfer domain for more than one year the named price will be charged for *every year*.

When `period_type` is `exact`, the price is applied to the number of years specified in `min_period`, i.e. *total price for the whole period*. Please pay attention in such cases, as there may be multiple rows with same TLD for this kind of price - one for specific number of years (check last 3 rows in the example above).

Revision #15

Created 2023-09-14 11:17:24 UTC by Admin

Updated 2024-12-19 19:05:06 UTC by Admin