

Joker.com FAQ

Table of Content

DNS/URL-Forwarding	2
Create a dns-configuration	2
Delete a dns-configuration	5
List a dns-configuration	6

DNS/URL-Forwarding

Create a dns-configuration

Introduction

With this request you can create or modify a record in the joker-namenserver.
You can add A-Records, CNAME-Records, MX-Records, a nameserver-based URL-forwarding and a frame-based URL-forwarding. Modifying the TTL is not possible.
The format of this request is a little bit different from the other requests. Please check the given examples for how to specify the different console records.

ATTENTION:

You have to change the nameservers for a domain to the nameservers of joker.com first!

A-Record
CNAME-Record
MX-Record
URL-Forwarding
Frame-Forwarding
If you would like to use the joker-namenserver, you will have to use all joker-namenserver.
It is not possible to use the joker-namenserver

● for primary nameserver only

● for secondary nameserver only

All joker-namenserver

● are configured to deny all zone-fetching requests!

● do not query foreign nameserver!

Request Fields

Definition of the request

Request-Field	Field-Value	Required
DOMAIN	Domain	YES
TYPE	Record-Name	NO
CONTENT	Record-Content	NO
MX	Record-Content	NO
URL	Record-Content	NO
FRAME	Record-Content	NO

Example 1: create dns-conf (without url-forwarding and without wildcard-matching)

subject: create dns-conf {your reference id}

domain@joker.com

A:www.194.23.110.10

DNS/URL-Forwarding

Amail 194.23.110.19

Amail2 194.23.110.20

A@ 194.23.110.10

MX www.hanroosa.net 70 mail.ora.net

MX www.hanroosa.net 80 mail2.ora.net

MX @ 70 mail.hanroosa.net

MX @ 80 mail2.hanroosa.net

CNAME www3.ora.net other.domain.com

Example 2: create dns-confiq (with wildcard-matching)

subject: create dns-confiq [your reference id]

domain#2 hanroosa.net

Awww 194.23.110.19

A@ 194.23.110.10

A* 194.23.110.20

Example 2: create dns-confiq (with dns-based url-forwarding)

subject: create dns-confiq [your reference id]

domain#2 hanroosa.net

Awww 194.23.110.19

A@ 194.23.110.10

URLwww#2 http://www.ora.net/other.domain.com/index.html

(For internet, the url within the browser is changing to the target address)

DNS/URL-Forwarding

Example 4 create dns config (with frame-based url-forwarding)

subject: create dns config [your reference id]

domain@domain.com

A www 194.23.110.10

A @ 194.23.110.10

FRAMES www2 http://www.some-other-domain.com/index.html

(that means, the url within the browser is not changing to the target address)

Keywords: nameserver, records, zone, forwarding

Last update: 2011-08-11 15:37

DNS/URL-Forwarding

Delete a dns-configuration

Introduction

With this request you can delete a zonefile at the given nameserver.

Request fields

mailto:subject: delete dns-config [your reference id]

Definition of the request

parameter	url format	example
subject	mailto:subject: delete dns-config [your reference id]	mailto:subject: delete dns-config [your reference id]

Example 1: delete dns-config

subject: delete dns-config [your reference id]

domain@domain.net

Keywords: nameserver,dns-config,records, forwarding

Last update: 2011-08-11 15:37

DNS/URL-Forwarding

List a dns-configuration

Introduction

With this request you can get a listing of a current records.

Request fields

multiSubject: list dns-config (your reference id) definition of this request

id	name	value

Example 1: list dns-config

subject: list dns-config (your reference id)

domain: joker.com

Keywords: nameserver,dns-config,records, forwarding

Last update: 2011-08-11 15:38

DNS/URL-Forwarding