

Joker.com FAQ

Table of Content

Contacts	2
Create a contact	2
Modify a contact	6
Change an address	9
Change an owner	11
.asia Contacts	15

Contacts

Create a contact

Introduction

create vbs-order

Valid values for vbs:

- com
- net
- org
- info
- biz
- mobi
- name
- us
- de
- cn
- au

With the request you can create person contacts. You can create 1 contact with one request.

ATTENTION:

You will find the request field "individual" within the request definition. If you set it to "Y", you have to provide the request fields "firstname" and "lastname". If you set it to "N", you have to provide information in the request field "organization".

As the value for vbs shows a field called person, the rules for generating the field are the following:

If you provide the field "lastname", the value is always always the values of this field, regardless of "firstname" and "lastname".

If you only provide the field "firstname" and the field "lastname", we will generate the field "lastname" as the result of the concatenation of "firstname" + " " + "lastname".

The result of "create vbs-contact" is a reference which is following the format:

- CCQM-number> e.g. CCQM-176269 for a .com domain.
- CNET-number> e.g. CNET-176269 for a .net domain.
- COBS-number> e.g. COBS-176269 for a .org domain.
- Cumber-LRMS e.g. C176269LRMS for a .info domain.
- CNEU-number> e.g. CNEU-176269 for a .biz domain.
- COMO-number> e.g. COMO-176269 for a .mobi domain.
- CNMS-number> e.g. CNMS-176269 for a .name domain.
- COUS-number> e.g. COUS-176269 for a .us domain.
- CODE-number> e.g. CODE-176269 for a .de domain.
- COCN-number> e.g. COCN-176269 for a .cn domain.
- Cnumber e.g. C176269 for a .au domain.

Request fields

multiSubject create vbs-contact [your reference ID]

Definition of this request

Contacts

ATTENTION

According to the rules of DENIC, you have to provide a first name for the admin-c and the last-c of a .de domain.

CONTACT ID	CONTACT DATA		CONTACT TYPE
	CONTACT NAME	CONTACT PHONE	
CONTACT 1	CONTACT 1	CONTACT 1	CONTACT 1
CONTACT 2	CONTACT 2	CONTACT 2	CONTACT 2
CONTACT 3	CONTACT 3	CONTACT 3	CONTACT 3
CONTACT 4	CONTACT 4	CONTACT 4	CONTACT 4
CONTACT 5	CONTACT 5	CONTACT 5	CONTACT 5
CONTACT 6	CONTACT 6	CONTACT 6	CONTACT 6
CONTACT 7	CONTACT 7	CONTACT 7	CONTACT 7
CONTACT 8	CONTACT 8	CONTACT 8	CONTACT 8
CONTACT 9	CONTACT 9	CONTACT 9	CONTACT 9
CONTACT 10	CONTACT 10	CONTACT 10	CONTACT 10
CONTACT 11	CONTACT 11	CONTACT 11	CONTACT 11
CONTACT 12	CONTACT 12	CONTACT 12	CONTACT 12
CONTACT 13	CONTACT 13	CONTACT 13	CONTACT 13
CONTACT 14	CONTACT 14	CONTACT 14	CONTACT 14
CONTACT 15	CONTACT 15	CONTACT 15	CONTACT 15
CONTACT 16	CONTACT 16	CONTACT 16	CONTACT 16
CONTACT 17	CONTACT 17	CONTACT 17	CONTACT 17
CONTACT 18	CONTACT 18	CONTACT 18	CONTACT 18
CONTACT 19	CONTACT 19	CONTACT 19	CONTACT 19
CONTACT 20	CONTACT 20	CONTACT 20	CONTACT 20
CONTACT 21	CONTACT 21	CONTACT 21	CONTACT 21
CONTACT 22	CONTACT 22	CONTACT 22	CONTACT 22
CONTACT 23	CONTACT 23	CONTACT 23	CONTACT 23
CONTACT 24	CONTACT 24	CONTACT 24	CONTACT 24
CONTACT 25	CONTACT 25	CONTACT 25	CONTACT 25
CONTACT 26	CONTACT 26	CONTACT 26	CONTACT 26
CONTACT 27	CONTACT 27	CONTACT 27	CONTACT 27
CONTACT 28	CONTACT 28	CONTACT 28	CONTACT 28
CONTACT 29	CONTACT 29	CONTACT 29	CONTACT 29
CONTACT 30	CONTACT 30	CONTACT 30	CONTACT 30
CONTACT 31	CONTACT 31	CONTACT 31	CONTACT 31
CONTACT 32	CONTACT 32	CONTACT 32	CONTACT 32
CONTACT 33	CONTACT 33	CONTACT 33	CONTACT 33
CONTACT 34	CONTACT 34	CONTACT 34	CONTACT 34
CONTACT 35	CONTACT 35	CONTACT 35	CONTACT 35
CONTACT 36	CONTACT 36	CONTACT 36	CONTACT 36
CONTACT 37	CONTACT 37	CONTACT 37	CONTACT 37
CONTACT 38	CONTACT 38	CONTACT 38	CONTACT 38
CONTACT 39	CONTACT 39	CONTACT 39	CONTACT 39
CONTACT 40	CONTACT 40	CONTACT 40	CONTACT 40
CONTACT 41	CONTACT 41	CONTACT 41	CONTACT 41
CONTACT 42	CONTACT 42	CONTACT 42	CONTACT 42
CONTACT 43	CONTACT 43	CONTACT 43	CONTACT 43
CONTACT 44	CONTACT 44	CONTACT 44	CONTACT 44
CONTACT 45	CONTACT 45	CONTACT 45	CONTACT 45
CONTACT 46	CONTACT 46	CONTACT 46	CONTACT 46
CONTACT 47	CONTACT 47	CONTACT 47	CONTACT 47
CONTACT 48	CONTACT 48	CONTACT 48	CONTACT 48
CONTACT 49	CONTACT 49	CONTACT 49	CONTACT 49
CONTACT 50	CONTACT 50	CONTACT 50	CONTACT 50
CONTACT 51	CONTACT 51	CONTACT 51	CONTACT 51
CONTACT 52	CONTACT 52	CONTACT 52	CONTACT 52
CONTACT 53	CONTACT 53	CONTACT 53	CONTACT 53
CONTACT 54	CONTACT 54	CONTACT 54	CONTACT 54
CONTACT 55	CONTACT 55	CONTACT 55	CONTACT 55
CONTACT 56	CONTACT 56	CONTACT 56	CONTACT 56
CONTACT 57	CONTACT 57	CONTACT 57	CONTACT 57
CONTACT 58	CONTACT 58	CONTACT 58	CONTACT 58
CONTACT 59	CONTACT 59	CONTACT 59	CONTACT 59
CONTACT 60	CONTACT 60	CONTACT 60	CONTACT 60
CONTACT 61	CONTACT 61	CONTACT 61	CONTACT 61
CONTACT 62	CONTACT 62	CONTACT 62	CONTACT 62
CONTACT 63	CONTACT 63	CONTACT 63	CONTACT 63
CONTACT 64	CONTACT 64	CONTACT 64	CONTACT 64
CONTACT 65	CONTACT 65	CONTACT 65	CONTACT 65
CONTACT 66	CONTACT 66	CONTACT 66	CONTACT 66
CONTACT 67	CONTACT 67	CONTACT 67	CONTACT 67
CONTACT 68	CONTACT 68	CONTACT 68	CONTACT 68
CONTACT 69	CONTACT 69	CONTACT 69	CONTACT 69
CONTACT 70	CONTACT 70	CONTACT 70	CONTACT 70
CONTACT 71	CONTACT 71	CONTACT 71	CONTACT 71
CONTACT 72	CONTACT 72	CONTACT 72	CONTACT 72
CONTACT 73	CONTACT 73	CONTACT 73	CONTACT 73
CONTACT 74	CONTACT 74	CONTACT 74	CONTACT 74
CONTACT 75	CONTACT 75	CONTACT 75	CONTACT 75
CONTACT 76	CONTACT 76	CONTACT 76	CONTACT 76
CONTACT 77	CONTACT 77	CONTACT 77	CONTACT 77
CONTACT 78	CONTACT 78	CONTACT 78	CONTACT 78
CONTACT 79	CONTACT 79	CONTACT 79	CONTACT 79
CONTACT 80	CONTACT 80	CONTACT 80	CONTACT 80
CONTACT 81	CONTACT 81	CONTACT 81	CONTACT 81
CONTACT 82	CONTACT 82	CONTACT 82	CONTACT 82
CONTACT 83	CONTACT 83	CONTACT 83	CONTACT 83
CONTACT 84	CONTACT 84	CONTACT 84	CONTACT 84
CONTACT 85	CONTACT 85	CONTACT 85	CONTACT 85
CONTACT 86	CONTACT 86	CONTACT 86	CONTACT 86
CONTACT 87	CONTACT 87	CONTACT 87	CONTACT 87
CONTACT 88	CONTACT 88	CONTACT 88	CONTACT 88
CONTACT 89	CONTACT 89	CONTACT 89	CONTACT 89
CONTACT 90	CONTACT 90	CONTACT 90	CONTACT 90
CONTACT 91	CONTACT 91	CONTACT 91	CONTACT 91
CONTACT 92	CONTACT 92	CONTACT 92	CONTACT 92
CONTACT 93	CONTACT 93	CONTACT 93	CONTACT 93
CONTACT 94	CONTACT 94	CONTACT 94	CONTACT 94
CONTACT 95	CONTACT 95	CONTACT 95	CONTACT 95
CONTACT 96	CONTACT 96	CONTACT 96	CONTACT 96
CONTACT 97	CONTACT 97	CONTACT 97	CONTACT 97
CONTACT 98	CONTACT 98	CONTACT 98	CONTACT 98
CONTACT 99	CONTACT 99	CONTACT 99	CONTACT 99
CONTACT 100	CONTACT 100	CONTACT 100	CONTACT 100

```

CREATE COM CONTACT
Example 1: create com-contact (name will be generated from frame and frame)
subject: create com-contact [your reference id]
email: jg@joker.com
individual: 1
frame: joker
frame: joker
address-1: Frankfurt am Main
address-2: App. 1
postal-code: 60111
city: Frankfurt
country: DE
phone: +49 123456789010

Example 2: create com-contact (name and frame will be ignored)
subject: create com-contact [your reference id]
email: jg@joker.com
individual: 1
frame: joker
frame: joker
name: Mr. Gerdur Nisse
name-last: Gerdur Nisse
address-1: Frankfurt am Main
address-2: App. 1
postal-code: 60111
city: Frankfurt
country: DE
phone: +49 123456789010
    
```

```

CREATE NET CONTACT
Example 1: create net-contact (name will be generated from frame and frame)
subject: create net-contact [your reference id]
email: jg@joker.com
individual: 1
frame: joker
frame: joker
name: Mr. Gerdur Nisse
name-last: Gerdur Nisse
address-1: Frankfurt am Main
address-2: App. 1
postal-code: 60111
city: Frankfurt
country: DE
phone: +49 123456789010

Example 2: create net-contact (name and frame will be ignored)
subject: create net-contact [your reference id]
email: jg@joker.com
individual: 1
frame: joker
frame: joker
name: Mr. Gerdur Nisse
name-last: Gerdur Nisse
address-1: Frankfurt am Main
address-2: App. 1
postal-code: 60111
city: Frankfurt
country: DE
phone: +49 123456789010

CREATE ORG CONTACT
Example 1: create org-contact (name will be generated from frame and frame)
subject: create org-contact [your reference id]
email: jg@joker.com
    
```

Contacts

```
individualY
frame-group
frame-name
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

Example 2: create org-contact (frame and frame will be ignored)

subject: create org-contact [your reference id]

```
email-govern@news.org
individualY
frame-group
frame-name
name@M: Corvus News
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

CREATE INFO CONTACT

Example 1: create info-contact (frame will be generated from frame and frame)

subject: create info-contact [your reference id]

```
email-govern@news.info
individualY
frame-group
frame-name
name@M: Corvus News
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

Example 2: create info-contact (frame and frame will be ignored)

subject: create info-contact [your reference id]

```
email-govern@news.info
individualY
frame-group
frame-name
name@M: Corvus News
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

CREATE BIZ CONTACT

Example 1: create biz-contact (frame will be generated from frame and frame)

subject: create biz-contact [your reference id]

```
email-govern@news.biz
individualY
frame-group
frame-name
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

Example 2: create biz-contact (frame and frame will be ignored)

subject: create biz-contact [your reference id]

```
email-govern@news.biz
individualY
frame-group
frame-name
name@M: Corvus News
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

CREATE NAME CONTACT

Example 1: create name-contact (frame will be generated from frame and frame)

subject: create name-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
name@M: Corvus News
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

Example 2: create name-contact (frame and frame will be ignored)

subject: create name-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
name@M: Corvus News
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

CREATE US CONTACT

Example 1: create us-contact (frame will be generated from frame and frame)

subject: create us-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

Example 2: create us-contact (frame and frame will be ignored)

subject: create us-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
name@M: Corvus News
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

CREATE DE CONTACT

Example 1: create de-contact (frame will be generated from frame and frame)

subject: create de-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+49 1383794 50640
```

Example 2: create de-contact (frame and frame will be ignored)

subject: create de-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+49 1383794 50640
```

CREATE CN CONTACT

Example 1: create cn-contact (frame will be generated from frame and frame)

subject: create cn-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

Example 2: create cn-contact (frame and frame will be ignored)

subject: create cn-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
name@M: Corvus News
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

CREATE EU CONTACT

Example 1: create eu-contact (frame will be generated from frame and frame)

subject: create eu-contact [your reference id]

```
email-govern@news.net
individualY
frame-group
frame-name
address-1-transfer@news
address-2-App, 1
postal-code@4711
city@news
country@DE
phone+44 1383794 50640
```

Contacts

phone 44 1282754 50640

Example 2: create an contact (Name and name will be ignored)

subject: create an contact (your reference id)

email: gregor@hacker.net

password: 12345678

name: gregor

name: gregor

name: gregor

address: 123456789

address: 2, App. 1

city: Berlin

country: DE

phone: 44 1282754 50640

Keywords: whois, contacts

Last update: 2011-08-11 15:38

Contacts

Modify a contact

Introduction
 With this request you can modify person contacts. You can modify 1 contact with one request. Unspecified request fields will be ignored.

ATTENTION

After changing the content of the specified contact, the whole information is automatically updated.
 Keep in mind that you have to provide the numerical suffix of a handle.

- If you want to make an address change within the owner-record of a domain, you have to send a "readyly con-domain"-request after changing the content of the specified handle.
- Only contact-handles, which are created by the reseller or where the e-mail within the contact is matching the reseller's root-email can be changed.

Definition of the request

Request-Parameter	Request-Content		Response
	Parameter-Name	Parameter-Value	
name	Please, refer to the table below.		
street			
city			
state			
zip			
email			ok, if from and/or state are not given.
phone			
fax			
url			
url2			
url3			
url4			
url5			
url6			
url7			
url8			
url9			
url10			
url11			
url12			
url13			
url14			
url15			
url16			
url17			
url18			
url19			
url20			
url21			
url22			
url23			
url24			
url25			
url26			
url27			
url28			
url29			
url30			
url31			
url32			
url33			
url34			
url35			
url36			
url37			
url38			
url39			
url40			
url41			
url42			
url43			
url44			
url45			
url46			
url47			
url48			
url49			
url50			
url51			
url52			
url53			
url54			
url55			
url56			
url57			
url58			
url59			
url60			
url61			
url62			
url63			
url64			
url65			
url66			
url67			
url68			
url69			
url70			
url71			
url72			
url73			
url74			
url75			
url76			
url77			
url78			
url79			
url80			
url81			
url82			
url83			
url84			
url85			
url86			
url87			
url88			
url89			
url90			
url91			
url92			
url93			
url94			
url95			
url96			
url97			
url98			
url99			
url100			

Contacts

			as the admin and etc of the site)
--	--	--	--------------------------------------

id	name
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER
	COM-MEMBER

MODIFY COM CONTACT
Example 1: modify com contact
subject: modify com contact [your reference id]
handle: COM-123
address: 123 main st
postal-code: 4711
city: anytown
country: DE
phone: +44 123456 7890

MODIFY NET CONTACT
Example 1: modify net contact
subject: modify net contact [your reference id]
handle: NET-123
address: 123 main st
postal-code: 4711
city: anytown
country: DE
phone: +44 123456 7890

MODIFY ORG CONTACT
Example 1: modify org contact
subject: modify org contact [your reference id]
handle: ORG-123
address: 123 main st
postal-code: 4711
city: anytown
country: DE
phone: +44 123456 7890

MODIFY INFO CONTACT
Example 1: modify info contact
subject: modify info contact [your reference id]
handle: INFO-123
address: 123 main st
postal-code: 4711
city: anytown
country: DE
phone: +44 123456 7890

Example 2: modify info contact (new naming convention for info-handled)
subject: modify info contact [your reference id]
handle: INFO-123
address: 123 main st
postal-code: 4711
city: anytown
country: DE
phone: +44 123456 7890

MODIFY BIZ CONTACT
Example 1: modify biz contact
subject: modify biz contact [your reference id]
handle: BIZ-123
address: 123 main st
postal-code: 4711
city: anytown
country: DE
phone: +44 123456 7890

MODIFY NAME CONTACT

Contacts

Example 1: modify name-contact
subject: modify name-contact [your reference id]
header: CN=CN=123
address: 1 rue de la Paix
postal-code=4711
city=bordeaux
country=DE

phone: +44 1234567890

MODIFY US CONTACT
Example 1: modify us-contact
subject: modify us-contact [your reference id]
header: CN=CN=123
address: 1 rue de la Paix
postal-code=4711
city=bordeaux
country=DE

phone: +44 1234567890

MODIFY DE CONTACT
Example 1: modify de-contact
subject: modify de-contact [your reference id]
header: CN=CN=123
address: 1 rue de la Paix
postal-code=4711
city=bordeaux
country=DE

phone: +44 1234567890

MODIFY EU CONTACT
Example 1: modify eu-contact
subject: modify eu-contact [your reference id]
header: CN=CN=123
address: 1 rue de la Paix
postal-code=4711
city=bordeaux
country=DE
phone: +44 1234567890

Keywords: whois, contacts

Last update: 2011-08-11 15:39

Contacts

Change an address

Introduction

Change vldt-address

Valid values for vldt-

- com
- net
- org
- info
- biz
- mobi
- name
- us
- de
- ca

With this request you can change the address of the domain owner.

ATTENTION

It is not possible to change the following fields of the contact record:

- individual
- home
- frame
- site
- organization
- email

Request fields

method: change-com-address {your-reference-id}

Definition of this request

Request ID	Request Name	Request Description	Request Status
REQ001	change-com-address	Change the address of the domain owner.	Success
REQ002	change-com-address	Change the address of the domain owner.	Failure
REQ003	change-com-address	Change the address of the domain owner.	Success
REQ004	change-com-address	Change the address of the domain owner.	Success
REQ005	change-com-address	Change the address of the domain owner.	Success

Contacts

CHANGE CNF ADDRESS

Example 1: change cnf address [your reference id]

subject: change cnf address [your reference id]
domain@gmx.com
address:1:format:france
postnet-code:4711
city:paris
country:DE
phone:44 1383794 59040

CHANGE NET ADDRESS

Example 1: change net address

subject: change net address [your reference id]
domain@gmx.de
address:1:format:france
postnet-code:4711
city:paris
country:DE
phone:44 1383794 59040

CHANGE INFO ADDRESS

Example 1: change info address

subject: change info address [your reference id]
domain@gmx.org
address:1:format:france
postnet-code:4711
city:paris
country:DE
phone:44 1383794 59040

CHANGE AFD ADDRESS

Example 1: change afd address

subject: change afd address [your reference id]
domain@gmx.biz
address:1:format:france
postnet-code:4711
city:paris
country:DE
phone:44 1383794 59040

CHANGE AIZ ADDRESS

Example 1: change biz address

subject: change biz address [your reference id]
domain@gmx.br
address:1:format:france
postnet-code:4711
city:paris
country:DE
phone:44 1383794 59040

CHANGE NAME ADDRESS

Example 1: change name address

subject: change name address [your reference id]
domain@gmx.name
address:1:format:france
postnet-code:4711
city:paris
country:DE
phone:44 1383794 59040

CHANGE US ADDRESS

Example 1: change us address

subject: change us address [your reference id]
domain@gmx.us
address:1:format:france
postnet-code:4711
city:paris
country:DE
phone:44 1383794 59040

CHANGE DE ADDRESS

Example 1: change de address

subject: change de address [your reference id]
domain@gmx.de
address:1:format:france
postnet-code:4711
city:paris
country:DE

phone:44 1383794 59040

CHANGE CN ADDRESS

Example 1: change cn address

subject: change cn address [your reference id]
domain@gmx.cn
address:1:format:france
postnet-code:4711
city:paris
country:DE
phone:44 1383794 59040

Keywords: whois, contacts

Last update: 2011-08-11 15:39

Contacts

Change an owner

Introduction

With this request you can change the owner of a .com/.net/.org/.info/.mobi/.name/.biz/.de/.cn/.eu/.us-domain.

Request fields

mailsubject: change owner [your reference id]

Definition of this request

request-field	valid values	required
domains0		yes
email	an email without the numerical suffix	no
individual	[YN]	no
name	[\x20-\x7e]{0,80}	no
lname	[\x20-\x7e]{0,80}	no
fname	[\x20-\x7e]{0,80}	no
title	[\x20-\x7e]{0,80}	no
organization	[\x20-\x7e]{0,80}	no
address-1	[\x20-\x7e]{0,80}	no
address-2	[\x20-\x7e]{0,80}	no
postal-code	[\x20-\x7e]{0,50}	no
state	[\x20-\x7e]{0,80}	no
city	[\x20-\x7e]{0,80}	no
country	@country	no
phone	[\x20-\x7e]{0,50}	no
fax	[\x20-\x7e]{0,50}	no no
lock-opt-out	[YN]	

CHANGE .COM OWNER

Example 1: change owner

subject: change owner [your reference id]

domains0:gonzo.com
fname:hans
lname:nose
address-1:horsefair mews
postal-code:4711
city:romsey

Contacts

country:DE
phone:44 13383794 504040

CHANGE .NET OWNER

Example 1: change owner

subject: change owner [your reference id]

domains0:gonzo.net
fname:hans
lname:nose
address-1:horsefair mews
postal-code:4711
city:romsey
country:DE
phone:44 13383794 504040

CHANGE .ORG OWNER

Example 1: change owner

subject: change owner [your reference id]
domains0:gonzo.org
fname:hans
lname:nose
address-1:horsefair mews
postal-code:4711
city:romsey
country:DE
phone:44 13383794 504040

CHANGE .INFO OWNER

Example 1: change owner

subject: change owner [your reference id]

domains0:gonzo.info
fname:hans
lname:nose
address-1:horsefair mews
postal-code:4711
city:romsey
country:DE
phone:44 13383794 504040

CHANGE .BIZ OWNER

Example 1: change owner

subject: change owner [your reference id]

domains0:gonzo.biz
fname:hans
lname:nose

Contacts

address-1:horsefair mews
postal-code:4711
city:romsey
country:DE
phone:44 13383794 504040

CHANGE .NAME OWNER

Example 1: change owner

subject: change owner [your reference id]

domains0:gonzo.name
fname:hans
lname:nose
address-1:horsefair mews
postal-code:4711
city:romsey
country:DE
phone:44 13383794 504040

CHANGE .US OWNER

Example 1: change owner

subject: change owner [your reference id]

domains0:gonzo.us
fname:hans
lname:nose
address-1:horsefair mews
postal-code:4711
city:romsey
country:DE
phone:44 13383794 504040

CHANGE .DE OWNER

Example 1: change owner

subject: change owner [your reference id]

domains0:gonzo.de
fname:hans
lname:nose
address-1:horsefair mews
postal-code:4711
city:romsey
country:DE
phone:44 13383794 504040

CHANGE .CN OWNER

Example 1: change owner

subject: change owner [your reference id]

Contacts

domains0:gonzo.cn
fname:hans
lname:nose
address-1:horsefair mews
postal-code:4711
city:romsey
country:DE
phone:44 13383794 504040

Keywords: whois, contacts, transfer

Last update: 2016-11-21 15:06

Contacts

.asia Contacts

new-handle (explicit creation of a new contact)

This means the definition of a new contact. If a contact with the provided email address exists in the JOKER-DATABASE, a new contact will be created. The reference for the created handle is following the format COAS-number-, e.g. COAS-176265.

ATTENTION

The name of the request field depends on the contact. If you want to create a contact for the owner-contact, you have to replace the "-" at the beginning of the fieldname with "owner-contact".

If you want to create a contact for the admin-contact, you have to replace the "-" at the beginning of the fieldname with "admin-contact".

If you want to create a contact for the tech-contact, you have to replace the "-" at the beginning of the fieldname with "tech-contact".

If you want to create a contact for the billing-contact, you have to replace the "-" at the beginning of the fieldname with "billing-contact".

There is a new request field called **name** within the contact definition. This field is mandatory. If you do not provide the **firstname**. You have to provide the request field **name**. If **firstname** and **lastname** are not found. This is very important for the whole output. Everywhere a field **person** is shown. If you are using the request field **name**, the whole is showing the value for **name**, regardless the content of the request fields **firstname** and **lastname**. If you do not provide the request field **name** but you are providing the request fields **firstname** and **lastname**, the whole is showing the concatenation of these fields.

There is also a new request field called **address2** within the contact definition. This field is not mandatory. It is simply the 3rd line of the address.

request field	request field	request field
name	name	name
firstname	name	name
lastname	COAS-176265	name
email	COAS-176265	name
phone	COAS-176265	name
address	COAS-176265	name
address2	COAS-176265	name
organization	COAS-176265	name
comment	COAS-176265	name
address3	COAS-176265	name
address4	COAS-176265	name
address5	COAS-176265	name
city	COAS-176265	name
state	COAS-176265	name
country	COAS-176265	name
postal	COAS-176265	name
zipcode	COAS-176265	name
phone	COAS-176265	name
fax	COAS-176265	name

Contacts

An existing contact (@handle.com or @name-ns) (Asia only)

This means an existing contact handle in the JOKER DATABASE.

Example:

```
owner-contact-handle:COAS-170209
admin-contact-handle:COAS-170209
tech-contact-handle:COAS-170209
billing-contact-handle:COAS-170209
```

ASIA domains require an additional type of contact, the CED contact. This contact has to have its residence in the Asian/Australian area.

The Joker.com Registry Gateways automatically will use your provided tech-contact for the CED contact.

This means that the request for you remains consistent with the usual requests, you only have to make sure that the country code is correct, otherwise the Asia registry will reject the order.

In case you have entered a non-existing contact handle, the system will send you an error.

It is also possible to set a reference to a contact definition, which has been made earlier within the current request. To do so, please use the following syntax:

```
admin-contact-handle:same-as-owner-contact
```

```
tech-contact-handle:same-as-admin-contact
```

```
billing-contact-handle:same-as-tech-contact
```

The @name-as makes always replace the value for the specified contact handle with the email address of the macrotaget. If the referenced contact has to be created with this request, it takes the result handle.

Keep in mind that for asia requests the contact handles for (.com|.net|.org|.info|.biz|.de) contacts are not allowed. If you are referencing to a shortcut like handle@house.net#, you will get an error.

Keywords: whois, contacts, asia

Last update: 2011-08-11 15:41

Contacts