

# Account and Handling result-list

## Accepts:

<i>pending</i>	get results of requests still in progress
<i>showall</i>	get all results incl. deletes using result-delete
<i>period</i>	get results for specified period of days (default 7)
<i>date</i>	get results received on (or before) specified date (instead of today) and defaults to 1
<i>offset</i>	start displaying results from specified position
<i>limit</i>	only get number of results specified by limit
<i>status</i>	get results having specified status (ack/nack/?)
<i>count-only</i>	when set to 1, only count number of records
	single line in format "Records: N"
	All following filters may use patterns ("*" and "?")
<i>rtype</i>	get results for requests of specified type (domain-register/etc)
<i>objid</i>	get results for specified object ids (domain, contacts, hosts)
<i>procid</i>	get results for specified proc-id
<i>svtrid</i>	get results for specified SvTrId
<i>cltrid</i>	get results for specified ClTrId

## Returns:

List of answers from joker.com (one per line):

```
TimeStamp SvTrId Proc-ID request-type status ClTrId
```

## Where:

TimeStamp: The time when request was made, YYYYMMDDHHMMSS

SvTrID: Tracking-Id associated with this request.

Proc-ID: Proc-Id associated with this request.

request-type: The type of the request.

request-object: The object name (host, domain or contact handle)

status: ack, nack or ?, where ack means that request was completed successfully

Page 1 / 2

# Account and Handling

cessfully.

ClTrId: User specified transaction ID, or "-" if nothing was provided by the user

Example:

<https://dmapi.joker.com/request/result-list?auth-sid=20ddb8c3b2ea758dcf9fa4c7f46c0784>

Unique solution ID: #1017

Author: Joker.com

Last update: 2019-12-18 15:56