

DNS/URL-Forwarding

Create a dns-configuration

Introduction

With this request you can create or modify a zonefile at the joker-nameserver.
You can add A-Records, CNAME-Records, MX-Records, a nameserver-based URL-forwarding and a frame-based URL-forwarding. Modifying the TTL is not possible.
The format of this request is a little bit different from the other requests. Please check the given examples for how to specify the different zonefile-records.

ATTENTION:

You have to change the nameservers for a domain to the nameservers of joker.com first!

- a.ty.joker.com
- b.ty.joker.com
- c.ty.joker.com
If you would like to use the joker-nameserver, you will have to use all joker-nameservers.
It is not possible to use the joker-nameserver

● for primary nameserver only

● for secondarynameserver only

All joker-nameservers

● are configured to deny all zone-fetching request

● do not query foreign nameserver!

Request Fields

Definition of the request

Request Field	Default value	Required
REFERENCE	joker.com	YES
A	joker.com	NO
CNAME	joker.com/joker.com	NO
MX	joker.com	NO
TXT	joker.com	NO
IPV6	joker.com	NO

Example 1: create dns-config (without url-forwarding and without wildcard-matching)

subject: create dns-config [your reference id]

domain@joker.com

A:www.194.33.110.19

A:mail.194.33.110.19

DNS/URL-Forwarding

A:www:194.23.110.20

A:www:194.23.110.10

MX:www:194.23.110.70:mail.hansen.net

MX:www:194.23.110.80:mail2.hansen.net

MX:www:194.23.110.70:mail.hansen.net

MX:www:194.23.110.80:mail2.hansen.net

CNAME:www:www.other.domain.com

Example 2: create dns-config (with wildcard-matching)

subject: create dns-config [your reference id]

domain:www.hansen.net

A:www:194.23.110.10

A:www:194.23.110.10

A:www:194.23.110.20

Example 3: create dns-config (with dns-based url-forwarding)

subject: create dns-config [your reference id]

domain:www.hansen.net

A:www:194.23.110.10

A:www:194.23.110.10

URL:www:https://www.other.domain.com/index.html

(Other records, like the url within the browserbar is changing to the target address)

DNS/URL-Forwarding

Example 4 create dns-confiq with frame-based url-forwarding

subject: create dns-confiq [your reference id]

domain:02.here.com

A:www.194.23.110.10

A:0.194.23.110.10

FRAMES: www2 http://www.some.other.domain.com/index.html

(for means, the url within the browser is not changing to the target address)

Unique solution ID: #2401

Author: Joker.com

Last update: 2011-08-11 15:37