

Contacts

Create a contact

Introduction

create-cto-contact

Valid values for ctid:

- com
- net
- org
- info
- biz
- mobi
- name
- us
- ca
- co
- ac

With this request you can create person contacts. You can create 1 contact with one request.

ATTENTION:

You will find the request field "individual" within the request definition. If you set it to "Y", you have to provide the request fields "firstname" and "lastname". If you set it to "N", you have to provide information in the request field "organization".

As the whole for .com shows a field called person, the rules for generating this field are the following:
If you provide the field "firstname", the whole is showing always the values of this field, regardless of "lastname" and "surname".

If you only provide the field "lastname" and the field "surname", we will generate the field "lastname" as the result of the concatenation of "lastname" + "-" + "surname".

The result of "create-cto-contact" is a reference which is following the format:

- CCOM-number e.g. CCOM-176269 for a .com domain.
- CNET-number e.g. CNET-176269 for a .net domain.
- CORG-number e.g. CORG-176269 for a .org domain.
- CINFO-number e.g. CINFO-176269 for a .info domain.
- CBIZ-number e.g. CBIZ-176269 for a .biz domain.
- CMOB-number e.g. CMOB-176269 for a .mobi domain.
- CNAME-number e.g. CNAME-176269 for a .name domain.
- CUS-number e.g. CUS-176269 for a .us domain.
- CCA-number e.g. CCA-176269 for a .ca domain.
- CCO-number e.g. CCO-176269 for a .co domain.
- CAC-number e.g. CAC-176269 for a .ac domain.

Request fields

multiSubject create-cto-contact [your reference ID]
Definition of this request

Contacts

ATTENTION

According to the rules of DENIC, you have to provide a first name for the admin-c and the last-c of a .de domain.

id	name		is_activated
	first_name	last_name	
000001	John	Doe	is_activated = Y
000002			is_activated = Y
000003			is_activated = Y
000004			is_activated = Y
000005			is_activated = Y
000006			is_activated = Y
000007			is_activated = Y
000008			is_activated = Y
000009			is_activated = Y
000010			is_activated = Y
000011			is_activated = Y
000012			is_activated = Y
000013			is_activated = Y
000014			is_activated = Y
000015			is_activated = Y
000016			is_activated = Y
000017			is_activated = Y
000018			is_activated = Y
000019			is_activated = Y
000020			is_activated = Y
000021			is_activated = Y
000022			is_activated = Y
000023			is_activated = Y
000024			is_activated = Y
000025			is_activated = Y
000026			is_activated = Y
000027			is_activated = Y
000028			is_activated = Y
000029			is_activated = Y
000030			is_activated = Y
000031			is_activated = Y
000032			is_activated = Y
000033			is_activated = Y
000034			is_activated = Y
000035			is_activated = Y
000036			is_activated = Y
000037			is_activated = Y
000038			is_activated = Y
000039			is_activated = Y
000040			is_activated = Y
000041			is_activated = Y
000042			is_activated = Y
000043			is_activated = Y
000044			is_activated = Y
000045			is_activated = Y
000046			is_activated = Y
000047			is_activated = Y
000048			is_activated = Y
000049			is_activated = Y
000050			is_activated = Y
000051			is_activated = Y
000052			is_activated = Y
000053			is_activated = Y
000054			is_activated = Y
000055			is_activated = Y
000056			is_activated = Y
000057			is_activated = Y
000058			is_activated = Y
000059			is_activated = Y
000060			is_activated = Y
000061			is_activated = Y
000062			is_activated = Y
000063			is_activated = Y
000064			is_activated = Y
000065			is_activated = Y
000066			is_activated = Y
000067			is_activated = Y
000068			is_activated = Y
000069			is_activated = Y
000070			is_activated = Y
000071			is_activated = Y
000072			is_activated = Y
000073			is_activated = Y
000074			is_activated = Y
000075			is_activated = Y
000076			is_activated = Y
000077			is_activated = Y
000078			is_activated = Y
000079			is_activated = Y
000080			is_activated = Y
000081			is_activated = Y
000082			is_activated = Y
000083			is_activated = Y
000084			is_activated = Y
000085			is_activated = Y
000086			is_activated = Y
000087			is_activated = Y
000088			is_activated = Y
000089			is_activated = Y
000090			is_activated = Y
000091			is_activated = Y
000092			is_activated = Y
000093			is_activated = Y
000094			is_activated = Y
000095			is_activated = Y
000096			is_activated = Y
000097			is_activated = Y
000098			is_activated = Y
000099			is_activated = Y
000100			is_activated = Y

CREATE COM CONTACT

Example 1: create com-contact (name will be generated from frame and frame)

```

subject: create com-contact [your reference id]
email: john.doe@tbs.com
individual: Y
frame: john
frame: john
name: john
address: 1 Northstar Avenue
address-2: Apt. 1
postal-code: 4711
city: Ramsey
country: DE
phone: 44 12383794 50640
    
```

Example 2: create com-contact (frame and frame will be ignored)

```

subject: create com-contact [your reference id]
email: john.doe@tbs.com
individual: Y
frame: john
frame: john
name: john
address: 1 Northstar Avenue
address-2: Apt. 1
postal-code: 4711
city: Ramsey
country: DE
phone: 44 12383794 50640
    
```

CREATE NET CONTACT

Example 1: create net-contact (name will be generated from frame and frame)

```

subject: create net-contact [your reference id]
email: john.doe@tbs.com
individual: Y
frame: john
frame: john
name: john
address: 1 Northstar Avenue
address-2: Apt. 1
postal-code: 4711
city: Ramsey
country: DE
phone: 44 12383794 50640
    
```

Example 2: create net-contact (frame and frame will be ignored)

```

subject: create net-contact [your reference id]
email: john.doe@tbs.com
individual: Y
frame: john
frame: john
name: john
address: 1 Northstar Avenue
address-2: Apt. 1
postal-code: 4711
city: Ramsey
country: DE
phone: 44 12383794 50640
    
```

CREATE ORG CONTACT

Example 1: create org-contact (name will be generated from frame and frame)

```

subject: create org-contact [your reference id]
email: john.doe@tbs.com
individual: Y
frame: john
frame: john
name: john
address: 1 Northstar Avenue
address-2: Apt. 1
postal-code: 4711
city: Ramsey
country: DE
phone: 44 12383794 50640
    
```

Example 2: create org-contact (frame and frame will be ignored)

```

subject: create org-contact [your reference id]
email: john.doe@tbs.com
individual: Y
frame: john
    
```

Contacts

```
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

CREATE INFO CONTACT

Example 1: create info-contact (frame will be generated from frame and frame)

subject: create info-contact [your reference id]

```
email:gonzo@foam.info
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

Example 2: create info-contact (frame and frame will be ignored)

subject: create info-contact [your reference id]

```
email:gonzo@foam.info
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

CREATE BIZ CONTACT

Example 1: create biz-contact (frame will be generated from frame and frame)

subject: create biz-contact [your reference id]

```
email:gonzo@foam.biz
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

Example 2: create biz-contact (frame and frame will be ignored)

subject: create biz-contact [your reference id]

```
email:gonzo@foam.biz
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

phone:44 12383754 50640

CREATE NAME CONTACT

Example 1: create name-contact (frame will be generated from frame and frame)

subject: create name-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

Example 2: create name-contact (frame and frame will be ignored)

subject: create name-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

CREATE US CONTACT

Example 1: create us-contact (frame will be generated from frame and frame)

subject: create us-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

Example 2: create us-contact (frame and frame will be ignored)

subject: create us-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

phone:44 12383754 50640

CREATE DE CONTACT

Example 1: create de-contact (frame will be generated from frame and frame)

subject: create de-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

Example 2: create de-contact (frame and frame will be ignored)

subject: create de-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

CREATE CN CONTACT

Example 1: create cn-contact (frame will be generated from frame and frame)

subject: create cn-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

Example 2: create cn-contact (frame and frame will be ignored)

subject: create cn-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

phone:44 12383754 50640

CREATE EU CONTACT

Example 1: create eu-contact (frame will be generated from frame and frame)

subject: create eu-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

Example 2: create eu-contact (frame and frame will be ignored)

subject: create eu-contact [your reference id]

```
email:gonzo@foam.net
individual:Y
frame:gonzo
frame-name
name:Joe Garcia Name
address-1:1234567890
address-2:Agg, 1
postal-code:4711
city:Wingway
country:DE
phone:44 12383754 50640
```

Contacts

Unique solution ID: #2395

Author: Joker.com

Last update: 2011-08-11 15:38