

Contacts

An existing contact (@username or @name-nc) (also only)

This means an existing contact handle in the JOKER DATABASE.

Example:

```
email-contact-handle:COAS-170209
admin-contact-handle:COAS-170209
web-contact-handle:COAS-170209
billing-contact-handle:COAS-170209
```

ASA-domains require an additional type of contact, the CED contact. This contact has to have its residence in the Asia/Australasia area.

The Joker.com Registry Gateways automatically will use your provided web-contact for the CED contact.

This means that the request for you remains consistent with the usual requests, you only have to make sure that the country code is correct, otherwise the Asia registry will reject the order.

In case you have entered a non-existing contact handle, the system will send you an email.

It is also possible to set a reference to a contact definition, which has been made earlier within the current request. To do so, please use the following syntax:

```
admin-contact-handle:same-as-owner-contact
```

```
web-contact-handle:same-as-admin-contact
```

```
billing-contact-handle:same-as-tech-contact
```

The @name-nc makes always replace the value for the specified contact handle with the email address of the macrotarget. If the referenced contact has to be created with this request, it takes the result handle.

Keep in mind that for .asia-requests the contact handles for (.com|.net|.org|.info|.biz|.de) contacts are not allowed. If you are referencing to a shortcut like `handle@host.net`, you will get an error.

Unique solution ID: #2413

Author: Joker.com

Last update: 2011-08-11 15:41