

DNSSEC

DNSSEC is the abbreviation for 'Domain Name System Security Extensions'. It is a set of extensions to the domain name system (DNS), basically to allow clients to **verify the authenticity and integrity of DNS records**.

For a domain to make use of DNSSEC, the following is needed:

- the domain type (TLD) needs to support DNSSEC (i.e. the registry)
- the registrar of the domain needs to allow to activate and configure DNSSEC for a domain
- the configured nameservers need to support DNSSEC
- the clients (e.g. browsers) need to make use of DNSSEC

You may have a look at [Wikipedia](#) or this short [tutorial](#) as starters for reading more about these topics.

Important: DNSSEC cannot be fully activated for **.dk domains** directly through the Joker.com interface. To enable DNSSEC for your **.dk domain**, please follow the instructions provided [HERE](#)

DNSSEC Support at Joker.com

Joker.com enables you to activate and configure DNSSEC for nearly all of your domains - most domain types (TLDs) do support DNSSEC. The only exceptions at Joker.com currently are .ws and .cn.

Please note: Joker.com supports DNSSEC with standard Joker.com name servers as well as with domains that use external name servers

- **for Joker.com nameservers:** To enable DNSSEC, please go to click on "DNS" next to your domain on your [dashboard](#). There you will find the "**Enable DNSSEC**" button. If you then click on "**Save changes**", you are done!
- **for DNSSEC with own or external name servers:** Please use our instructions below.

To find out if your domain is working properly with DNSSEC, you may use the [DNSSEC Analyzer](#).

Resellers will find similar commands to operate DNSSEC using **DMAPI** and [RPanel](#).

How To use DNSSEC with a Joker.com Domain and a DNS Hosting Provider

This is about:

- you want to use DNSSEC with domains from Joker.com
- you are using an **external name service**, like from a service provider, or your own

To make this work, the domain has to be "linked" to the external name service:

1. Set up the DNS zone and records at the DNS hosting provider

Each DNS hosting provider has its own web interface and system for adding records. Here you have to create the zone records you need, like A records to add IPv4 addresses to a hostname.

2. Still at the DNS hosting provider

sign the domain with DNSSEC. This of course requires, that your DNS provider support DNSSEC.

The end result is that you have a **signed domain with a DS record**. You will need this information (DS record) later at **Joker.com**.

3. At Joker.com

[Change the name servers](#) for the domain to point to the name servers of the DNS hosting provider.

It should look like this now:

Nameserver settings for the domain [redacted]

Important: A domain must have at least two (2) nameservers - otherwise, depending on the type of domain, it could happen that the registry automatically locks the domain.

Information for .de domains

- [DENIC requirements for nameservers](#)
- DENIC tool to [check and verify zones and nameservers](#)

nameserver 1: ✖

nameserver 2: ✖

[add new row >](#)

[← back](#) [save](#)

This change may take some time to propagate through the larger DNS infrastructure. Until the name server change has fully propagated, people may still see DNS records coming from the previous name servers.

At this point, you have a domain signed with DNSSEC at the DNS hosting provider, and you have changed the records at Joker.com to point to the name servers of the DNS hosting provider.

Almost done!

If you now run your domain through the [DNSSEC analyzer tool](#), you will still see a problem: "**No DS records found**"

This means, you still have to create a so-called **Delegation Signer (DS)** record at **Joker.com**.

4. Create DS record at Joker.com

- again, visit Joker.com, click "Modify" next to your domain name
- You will now find your name servers listed and a DNSSEC section:

Nameservers

This domain is not using Joker.com nameservice.

Nameserver 1:

Nameserver 2:

[Apply these settings to other domains](#)

DNSSEC

no entry

- click on '✎' at section **DNSSEC**
- it will then look like this - please check if the information corresponds with what you got in step 2 above:

Secure DNS (DNSSEC)

Change or create DNSSEC settings to be used for the domain [REDACTED]
You can enter up to 6 DNSSEC record sets.

Example:

```
alg: 5
digest: AFE249392848D0458B3967BA1EE9BDEA6C3ECB43
digest type: 1
keytag: 38698
```

(please find more information here: <https://www.internetsociety.org/deploy360/dnssec/>)

Record 1:

remove

alg:

5

digest:

AFE249392848D0458B3967BA1EE9BDEA6C3ECB43

digest type:

1

keytag:

17352

more >

« back

delete all

save

- tag is derived from the key (provided by DNS operator)
- digest type is 1 (SHA-1, deprecated) or 2 (SHA-256)
- digest itself: up to 40 hex digits for SHA-1 and up to 64 hex digits for SHA-256
- Press "save", and you are done - DNSSEC is enabled on your domain.

5. Finally, verify that DNSSEC works

using a tool such as Verisign Labs' [DNSSEC Analyzer](#). It should show nice green check marks now - but please keep in mind, that your changes will take some time until they become active.

Having followed these steps, you have DNSSEC working on a domain registered with Joker.com, using name servers from an external name service provider.

Meanwhile, there is good news: **You now also are able to use DNSSEC with the regular Joker.com name servers** as well, free of charge! This of course is probably much simpler for you, since you do not have to maintain external name server records, and you can make use of DNSSEC fully integrated into Joker.com's web portal.

Revision #15

Created 2023-06-30 12:15:09 UTC by Admin

Updated 2026-02-12 12:18:06 UTC by Admin